



A TECHNICAL REPORT
STUDENT INDUSTRIAL WORKING EXPERIENCE SCHEME
(SIWES)

Held at
JOSSY-KAY OGO CONSTRUCTION COMPANY, OLD GOVERNOR
OFFICE AYEGBAJU OGO OLUWA, OSOGBO, OSUN STATE.

Prepared by:
RABIU KEJI TOHEEB
ND/23/SGI/PT/0025

SUBMITTED TO
DEPARTMENT OF SURVEYING AND GEO-INFORMATICS
INSTITUTE OF ENVIRONMENTAL STUDIES
KWARA STATE POLYTECHNIC, ILORIN

IN PARTIAL FULFILLMENT OF THE AWARD OF THE REQUIREMENT
OF THE AWARD OF NATIONAL DIPLOMA IN SURVEYING AND GEO-
INFORMATICS (SGI)

August – November., 2024

DEDICATION

I dedicate this technical report to the Almighty Allah, the giver of knowledge, wisdom and who is rich in mercy.

ACKNOWLEDGEMENT

I wish to acknowledge the Management of Jossy-Kay Construction Company, Old Governor Office Ayegbaju, Ogo Oluwa Osogbo, Osun State, for giving me the privilege to serve in their reputable company which gave me more knowledge, may God continue strengthen and perfect your ways.

My sincerely thanks also extend to my parent Mr & Mrs Rabiou for their unweaving support to want the completion of my Siwes Report.

Appreciation extends to all who in diverse ways assisted me to successful accomplish the realization of this siwes work most especially My Sister and Brother; I appreciate you all that contributed during my Siwes program. I say thanks to you all, May God continues to bless you all.

TABLE OF CONTENT

Title page	i
Table of content	ii
Dedication	iii
Acknowledgements	iv

TABLE OF CONTENTS

CHAPTER ONE

1.1 Introduction And History Of Siwes	1
1.2 Aim And Objectives Of The Siwes	1
1.3 Role of Bodies Involved in The Management of Siwes Programme	1

CAPTER TWO

2.1. Osun Geographic Information Service (Osun-Gis)	4
2.2. Materials And Methods	4
2.3 Data Input	5

CHAPTER THREE

3.1 Introduction to Traverse	6
3.2 Overview of AutoCAD Software	6
3.3 Versions and Platforms	7
3.4 Survey And Surveying Instruments	9
3.5 Site Inspection Analysis	10
3.6 Layout Design	12
3.7 Dispute Resolution	13
2.8 Evaluating Township Road	14

CHAPTER FOUR

4.1 List of Instruments Used In The Department Of Lands Survey	16
--	----

CHAPTER FIVE

5.1 Summary	18
5.2 Recommendation	18
5.3 Conclusion	18

CHAPTER ONE

GENERAL INTRODUCTION OF SIWES

1.1 INTRODUCTION AND HISTORY OF SIWES

The Students Industrial Working Experience Scheme (SIWES) is a skill training, program designed to expose and prepare students of universities, polytechnics and colleges of education etc. for industrial work experience application they are likely to meet after graduation. The scheme also afford students the opportunity of familiarizing and exposing themselves to requisite experience in handling equipment and machines that may not be available in their institutions.

Before the establishment of the scheme, there was a growing concern among our industrialists that graduate from higher institutions of learning in Nigeria lacked adequate practical background studies preparing for employment in industries. Thus, the employers of labor were not responsive enough to the needs of the employees of labor. It is against this background that ITF was formed in the year 1973/74 so as to acquaint students with the skills of handling machines.

The ITF, solely funded in its formative years, but as the financial involvement became unbearable to the fund, it withdraw from the scheme in 1978. The federal government handed over the scheme in 1979 to both the National Universities Commission (NUC) and the National Board for Technical Education (NBTE). Later the Federal Government in November 1984 revert the management and implementations of SIWES program to ITF and it was effectively taken over by the Industrial Training Fund in July 1985 with the funding being solely borne by the Federal Government.

1.2 AIM AND OBJECTIVES OF THE SIWES

The aim of SIWES programme is all about strengthening future employees. Such program is successful attempt to help students to understand the underlying principles of their future work. After passing the programs, the student can concentrate on the really necessary factors of his or her work.

Specifically, the objectives of the Student Industrial Work Experience Scheme (SIWES) are to:

- I. To provide students with industrial skills and needed experience.

- II. To create conditions and circumstances, which can be as close as possible to the actual workflow?
- III. To prepare specialist who will be ready for any working situations immediately after graduation.
- IV. To teach students the techniques and methods of working with facilities and equipment that may not be available within the walls of an educational institution.
- V. To give students the ability to try and apply the given knowledge.
- VI. To help students appreciate the role their profession play in the society.

1.3 ROLE OF BODIES INVOLVED IN THE MANAGEMENT OF SIWES PROGRAMME

The Federal Government of Nigeria, Industrial Training Fund (ITF), the Supervising Agencies; National Universities Commission (NUC), National Board for Technical Education (NBTE), and National Commission for Colleges of Education have roles assigned to them pertaining management of the SIWES program. The roles are as follows:

FEDERAL GOVERNMENT

- I. To provide adequate fund to the Industrial Training Fund (ITF) through the Federal Ministry of Industries for the Scheme.
- II. To make it mandatory for all ministries, companies and prostate to offer place for attachment for students in accordance with the provisions of Decree No. 47 of 1971 as amended in 1990.

THE INDUSTRIAL TRAINING FUND (ITF)

The ITF established by decree No. 47 of 8th October, 1971 with the aim of promoting and encouraging the acquisition of skill in commerce and industry with a view to generate a pool of indigenous manpower sufficient to meet the needs of the economy. To motivate the students, ITF pays some money at the end of SIWES period. This has encouraged the students and the organizations to put in more effort in learning the

work and train them with all sincerity. This has also positively affected the economy of the country as the quality of work force has greatly improved.

The ITF is to:

- I. Formulate policies and guidelines on SIWES for distribution to all the SIWES participating bodies, institutions and companies involved in the scheme.
- II. Regularly organize orientation programs for students prior to their attachment.
- III. Receive and process, master and placement list from the institutions and supervising agencies i.e. (NUC, NBTE and NCCE).
- IV. Supervise students on industrial attachment
- V. Disburse supervisory and students allowances
- VI. Organize biennial SIWES National Conferences and Annual SIWES Review Meeting

CHAPTER TWO

2.1 OSUN GEOGRAPHIC INFORMATION SERVICE (OSUN-GIS)

This paper uses the Geographical Information Systems (GIS) to create a database of the cultural heritage resources of Osogbo such that the cultural information of this heritage sites can be archived and retrieved thereby showcasing their tourism potentials. Osogbo, an ancient Yoruba town, now the capital of Osun State, plays an important role in the history of the Yoruba race, hence the need to preserve her cultural heritage using advancements in technology such as the GIS and Global Positioning Systems (GPS). The spatial locations of the major cultural resources of the area were obtained using a Garmin® Global Positioning Systems (GPS). ArcView GIS software was used in developing cartographic representation of the spatial locations of the cultural resources and then linked to the respective attribute data. This produced a database for archiving, analyzing and displaying the cultural tourism resources of Genesis Art Gallery, Nike Art Gallery, Susan Wenger's Art Gallery, First Palace of Ataoja and National Museum, Osogbo. Such documentation and digital presentation as this intends to highlight Osogbo's cultural heritage and develop her tourism potentials. The outcome of this study is expected to attract more tourists to the area while providing tourism destination managers and planners with an important preliminary tool needed for further development.

Geographical Information Systems (GIS) is an information system for a chain of operation from a survey, collection to storage, analysis and output of spatial information for supporting decision-making (Kim, 2002). Database according to Clarke (2001) is the body of data that can be used in a database management system. While a database manager is a computer programme or set of programmes allowing a user to define the structure and organization of a database, to enter and maintain records in the database, to perform sorting, data reorganization, and searching, and also to generate useful products such as reports and graphs (Olukole, 2008). Today's world is profoundly affected by the Information Communication Technology revolution. This has enabled information and knowledge circulation at an unprecedented speed, changing all aspects of life and economic, political and socio-cultural activities. In this information Era, it is the ability of a country to use information and communication technology effectively and efficiently that increasingly determines the relevance and competitiveness of a country in the global economy. Tourism is an industry with one of the strongest effect on the economy, because it helps in developing other sectors. "Tourism is a composite of activities, facilities, services and industries that deliver a travel

experience, that is, transportation, accommodation, eating and drinking establishments, entertainment, recreation, historical and cultural experiences, destination attractions, shopping and other services available to travelers away from home" (Tourism and Leisure Committee, 1997). Cultural heritage resources are what constitute most cultural tourism sites. Cultural tourism on the other hand has African Journal of Hospitality,

While Silberberg (1995) on the other hand views cultural tourism as visits by persons from outside the host community motivated wholly or interest in the historical, artistic and scientific or lifestyle offerings of a community, region, group or institution. Cultural tourism has been defined as 'the movement of persons to cultural attractions away from their normal place of residence, with the intention to gather new information and experiences to satisfy their cultural needs'. Study Area Osogbo is the capital city of Osun State, Southwestern, Nigeria occupying a land mass of approximately 8,602sq kilometer. Osun State is the foremost repository of Yoruba customs and traditions with major historic cities like Ile-Ife and Osogbo. Which is a major point of attraction to Yorubas from places like Trinidad & Tobago, Cuba, Argentina, Brazil, Papua New Guinea, Haiti, South America, Barbados, Jamaica, Mexico, Puerto Rico, Uruguay, Togo, Republic of Benin, CoteD'Ivoire and Ghana. Yoruba constitute about One Hundred and Forty Million people (140 million) of the World's total population (Jones, 1997). While the city of Osogbo play host to interesting and significant cultural heritage sites among which are the Osun Osogbo (A UNESCO World Heritage Site), Nike art gallery, Susan Wenger's art gallery, Genesis Art Gallery, First palace of Ataoja, and the National Museum Osogbo. Also, much of research works in Osogbo have focused on the Osun Osogbo grove and the Susan Wenger's contribution to the development and conservation of the grove. However, there is a dearth of information on other cultural tourism sites within the city as well as a digital database of the cultural tourism sites. Hence, the need for a GIS database that would attract more tourists, enhance planning, and management needed for the development of cultural tourism in the city. The integration of the knowledge of the GIS into tourism makes tourism centres within a given geographical region readily accessible by an intending tourist. Also, it aids decision-making in tourism development and planning as organizations and communities have to come to terms with the competing economic, social and environmental demands of sustainable development. This work therefore aims at developing a GIS Database of the cultural tourism resources of Osogbo, Nigeria; thereby presenting her tourism resources in a digital form containing graphics with integrated photographs for archiving, analyzing, manipulating and displaying

of the tourism information of the area. This could be of a tremendous importance in hosting the cultural tourism resources of Osogbo

2.2 MATERIALS AND METHODS

Surveys In order to have an idea of the Osogbo cultural heritage sites, the city was traversed through a surface survey during which the cultural sites of the area were identified. The unsystematic kind of surface survey was used, the investigators walked across the area of study using a random sampling technique involving the exploration of paths and the recording of their respective locations. This method gave a panoramic view of the cultural sites of Osogbo. With the aim of updating the cultural history and other viable information of Osogbo, ethnographic studies involving the key informant approach were used. The key informant method of ethnographic studies used involved the conduction of oral interviews on one-on-one basis to retrieve important information about the cultural heritage sites. Using archaeological reconnaissance survey as reported by Olukole (2009), a systematic approach was adopted to take inventory of cultural remains while noting their spatial distribution, attribute, and observing their levels of preservation. African Journal of Hospitality,

GIS Studies

Creation of Spatial Data A topographical map of Osogbo was obtained from the Federal Survey, Lagos, Nigeria. The spatial locations of the various cultural tourism resources of Osogbo were obtained using Garmin® Global Positioning System (GPS) and were represented as points on the graphical map obtained. Resources at each point were captured using digital photography. In order to create a tourism database for the city, the spatial data were used to obtain an enhanced cartographic representation of the digitized maps.

2.3 Data Input

The following materials were used for data input: 1. A3 Scanner was used to scan the topographic map prior to the onscreen digitization, which is the process of converting analogue maps into computer readable format. This involved tracing features or locations on a map sheet and saving them to their corresponding thematic vector layers within a GIS. 2. Personal Computer (PC Pentium IV) with multimedia capability for storing and processing text, graphical and image data was used for data input, processing and analyses.

Data Manipulation and Analysis

The collected GPS data were downloaded and saved as Text file. The choice of text file format was based on the fact that it is one of the best known methods of data interchange. This file was then imported into ArcView GIS and was added to already digitized topographical base as an event theme using Add Event Theme menu. Identification of data was followed by classification and incorporated into a GIS environment with the aid of the following softwares: a. Microsoft Word, which served as medium for processing, editing and display of textual information about cultural heritage sites of Osogbo. b. Microsoft Excel was used to key in relational tabular data which were saved in Dbase IV format. c. Kodak digital camera software was used in downloading the still images into PC Pentium IV where they were saved as gif (Graphic Interchange Format) files. d. Source map software was used in downloading the GPS recorded geographical coordinates into the PC Pentium IV. e. ArcView 3.3 GIS software was used to incorporate all texts, tables, maps and image into the GIS environment.

Creation of Cultural Database

A map of the study area was extracted from the topographical map of Osogbo with the aid of coordinates obtained from the GPS of the area. Photographs of archaeological features were downloaded and saved as jpg. (Joint Photographic Experts Group) file with the aid of the Kodak digital camera software which had been earlier installed on the computer system was used. The attribute (nonlocational) information of various points recorded was linked to their respective spatial (locational) features in the Arc View environment with the aid of Microsoft Excel. The compilation and addition of text information to each location was followed by the hot linking of edited pictures to their respective feature locations using Arc View scripts. This yielded links showing a concurrent display of graphics and pictures that is, spatial database with integrated photographs for archiving, analyzing and displaying the cultural information of the Osogbo. Thus, a hotlink to a feature on any of the maps would display the information at that point with its spatial location within the Osogbo. African Journal of Hospitality,

CHAPTER THREE

3.1 INTRODUCTION TO TRAVERSE

Traverse surveying is a vital technique used in land surveying to determine the coordinates and distances between a series of connected points on the ground. This enables construction professionals and civil engineers to establish accurate boundaries, map out topography, and plan infrastructure projects effectively. There are two main types of traverse surveying:

Closed Traverse: In this method, the survey starts and ends at the same point, forming a closed loop. By measuring both the angles and distances between the points, surveyors can calculate the precise coordinates of each point within the traverse. This type of surveying is commonly used for smaller areas or when high accuracy is required.

Open Traverse: Unlike closed traverse, an open traverse does not form a closed loop, meaning it does not begin and end at the same point. Surveyors measure the angles and distances between points, but the traverse does not return to the starting point. This technique is useful for surveying large or irregularly shaped areas, such as road construction or pipeline projects.

Both closed and open traverse surveying require the use of specialized surveying equipment, such as a theodolite or total station, to accurately measure the angles and distances between points. These measurements are then used to create detailed maps or construction plans.

By employing traverse surveying techniques, construction professionals and civil engineers can ensure precise measurements and layouts, minimizing errors and optimizing project outcomes.

3.2 OVERVIEW OF AUTOCAD SOFTWARE

Designing is the process of converting an idea into an object, product or a system. This process is iterative. CAD (Computer Aided Design) is a tool that can be used for design and drafting activities. Since it uses the computing power of a processor, CAD drawings are faster, better and more accurate than their manually drafted counterparts. AutoCAD is sophisticated CAD software that is synonymous with engineering drafting. The concept of AutoCAD evolved way back in the 1980's, when engineers and architects were seeking to harness the power of newly introduced personal computers to reduce the drafting time. People began experimenting with internal graphic controllers which allowed them to draw engineering / architectural drawings at the front end which were efficiently replicated at the back end of the computer. AutoCAD was formally launched in December 1982 by Autodesk, a leader in 3D design, engineering and entertainment software. Simply put, AutoCAD enables

engineers, designers and architects to produce 2D and 3D models using computers. AutoCAD started as a design tool for engineers and architects, but is now used by other professionals as well. Autodesk, the company behind AutoCAD, has developed custom versions that can be used by design engineers, civil engineers, electrical and electronics engineers and mechanical engineers. AutoCAD thus covers a vast canvas - from engineering to industrial sector, there is an AutoCAD package for everyone. In that sense, AutoCAD is a horizontal product. It is used by product development teams, manufacturing facilities, media and entertainment industries, engineers, architects; educators and students; entrepreneurs, non-profits, medical professionals, and including beginners. AutoCAD is thus useful for any domain that requires 2D and 3D designs.

FEATURES OF AUTOCAD

When we say ‘features’, we do not mean the commands offered by AutoCAD in the context of this article. Instead, we highlight the differences between AutoCAD and other CAD software that make AutoCAD a popular drafting tool.

Powerful Drafting: Built primarily as a drafting tool, AutoCAD offers unparalleled drafting capabilities.

Analyze Object Details: The features included in AutoCAD allow in depth analysis and visualization of 2D and 3D models.

Plug-ins: Since AutoCAD is extremely popular, there is a huge number of plug-ins that are available which make the software more useful and friendly.

Integration: AutoCAD allows API integration with spreadsheets, document editors and other utilities. This is extremely useful when sharing the output of the software.

Training Options: Since AutoCAD is very popular, there are training institutes that teach the software from beginner level to the advanced level.

While there are other CAD systems (like CATIA, Ansys, etc.) available today, AutoCAD occupies a special place in the market. It was the first successful commercial CAD software to be introduced in the market in 1982 that was PC based. Today, it has grown to be the industry leader in the suite of CAD software, with

millions of customers in more than 150 countries. It still has a lion's share in the CAD market, despite the competition offered by CATIA, Ansys, etc. With its various versions - apart from the standard architectural and engineering drafting fields - AutoCAD also finds use in a varied number of industries like fashion designing, 3D printing and as an industrial designing tool.

3.3 VERSIONS AND PLATFORMS

AutoCAD comes in many flavours and on various platforms. The first version (V 1.0) of AutoCAD was released in December 1982; the latest Windows version (as of April 2018) is AutoCAD 2019, released on March 2018.

AutoCAD for Mac was first launched in June 1992; the latest version (as of April 2018) is AutoCAD 2017 (called as Naboo).

In addition, AutoCAD also has mobile versions for both Android and Apple phones. As far as price is concerned, AutoCAD comes in two packages – AutoCAD and AutoCAD LT. AutoCAD LT is a slightly stripped version of AutoCAD, the most prominent limitation being the ability to manipulate 3D objects. If you are mostly into 2D designs, you can easily make do with AutoCAD LT rather than the full version.

AutoCAD can also be classified depending on the domain it serves. Currently, different versions of AutoCAD support the following domains:


- Architecture
- Electrical design
- Map 3D
- Mechanical design
- MEP (mechanical, electrical and plumbing)
- Plant 3D, including P&ID functionality
- Raster design

AUTOCAD TRAINING

AutoCAD is vast software that offers something for everyone. From 1982 onward, each subsequent version of AutoCAD has added features that make it versatile software. The exponential increase in processor power – both for personal computers

and mobile devices – has allowed AutoDesk to offer increasingly sophisticated features. For anyone who wants to learn CAD, AutoCAD is a good foundation as many concepts and commands introduced by AutoCAD are utilized by other systems. A few of the AutoCAD features have in fact become industry standard. As an example, the .DXF format introduced by Autodesk has been universally accepted as the standard for CAD file conversion between systems.

Training in AutoCAD offers students and professionals a number of advantages. One, because AutoCAD is the most widely used CAD software, using it gives one a great probability of being able to share CAD files and related data and information with others. Two, AutoCAD provides you with broad capabilities in the CAD domain that offers flexibility in experimenting and utilizing latest technological advancements. Three, if you train in AutoCAD from a reputed institute, your prospects of securing a job in the CAD industry are very high.



PERIMETER

Perimeter / Boundary Surveys are carried out for the purpose of delineating the boundary of a parcel of land, determining its area and preparation of survey plan. The survey plan is usually the end product of a boundary survey. The survey plan shows ownership and describes the land. It is a document required by law during processing

of any land title. We will help you prepare your survey plan and lodge the record (red) copy in the Office of the Surveyor General of the state.

It is very important to request for a perimeter survey before acquisition of land in Lagos. Perimeter Surveys are usually carried out for other purposes such as:

- Settling a land dispute
- Determining encroachment
- Subdivision of land
- Re-establishing missing beacons



About Cadastral Surveying

Cadastral surveying is the discipline of land surveying that relates to the laws of land ownership and the definition of property boundaries. It involves interpreting and advising on boundary locations, on the status of land ownership and on the rights, restrictions and interests in property, as well as the recording of such information for use on plans, maps, etc. It also involves the physical delineation of property boundaries and determination of dimensions, areas and certain rights associated with properties, whether they are on land, water or defined by natural or artificial features. Cadastral surveys are generally performed to subdivide land into parcels for ownership under a land title and to re-establish boundaries of previously surveyed properties to determine the physical extent of ownership or to facilitate the transfer of the property title.


A surveyor, who is registered as a licensed surveyor under the *Surveying Act 2004*, is the only person authorised to perform cadastral surveys in Victoria. The regulation of cadastral surveying reflects the importance with which Government holds Victoria's cadastre. The cadastre is a parcel-based system of property (land) administration. It is comprised of physically delineated boundaries, being the extents of parcels or interests in parcels, and datasets containing the public record of the interests (ie. rights, restrictions and responsibilities) in those parcels. The government and community entrust licensed surveyors to maintain and protect the integrity of the cadastre, which underpins economic development through confidence in the property market.



RANGING POLE

A **ranging rod**, or **range rod**, is a surveying instrument used for marking the position of stations, and for sightings of those stations, as well as for ranging straight lines.^[1] Initially these were made of light, thin, and straight bamboo, or of well seasoned wood such as teak, pine, or deodar. They were shod with iron at the bottom and surmounted with a flag about 250 mm² in size.^[2] Nowadays^[when?] they are made of wood, metal, or fibre glass. The rods are usually about 30 mm in diameter and 2 or 3 m long, painted with alternating bands, such as red and white, red and yellow, or black and white, in lengths of 200 mm (i.e. one link length of metric chain), 500 mm, or 1 foot. These colours are used so that the rod can be properly sighted in case of long distance or bad weather. Ranging rods of greater length, e.g. 3 to 6 m, are called **range poles**, and are used for very long survey lines.^[3] Another type of ranging rod is known as an **offset rod**, which has no flag at the top. It is used for measuring small offsets from the survey line when the work is of an ordinary nature

Difference Type Ranging Poles



3.4 SURVEY AND SURVEYING INSTRUMENTS

What is Survey?

Survey is a technique, profession and science of accurately determining the terrestrial or three dimensional position of points and the distance and angles between them commonly practiced by surveyors and members of various engineering profession.

SURVEYING INSTRUMENTS

Ranging Pole: It is a 5m straight piece of wood or steel colored red and white used for alignment during survey.

Compass: Is used for measuring bearings from 0° to 360° in clockwise direction.

Theodolite: Is used for measuring both horizontal and vertical angles.

Leveling Instrument: Is used for measuring the difference in height between points on the surface of the earth they are of different types: automatic level, dumpy level, digital level etc.

Total Station: Used in determining the coordinate of positions, angles and bearing can also be determined.

Tripod Stand: Is equipment used in mounting survey instrument such as theodolite, level, total station etc.

Leveling Staff: Also called leveling rod used with a leveling instrument to determine the difference in height between points above a datum surface.

Gunter Chain: A formal measuring instrument of 66 ft (20.1m) long, subdivided into 100 links, each of which is a short section of wire connected to the next link by a loop.

Measuring Tape: A flexible ruler that is used to measure distance. It consists of a ribbon of cloth, plastic, fibre glass, or metals strip with linear measurement markings.

G.P.S (Global Positioning System): A framework for gathering, managing, and analyzing data. Rooted in the science of geography, it analyzes spatial location and organizes layers of information into visualizations using maps and 3D scenes.

Field Notebook: A roundup note that entails all necessary information jotted from the field.

3.5 SITE INSPECTION ANALYSIS.

INTRODUCTION

Site: - is the position or location of a town, building, plot, etc especially as to its environment. Or is an area or exact plot of ground on which anything is, has been, or is to be located. It can be described in terms of physical characteristics of the site.

Site inspection and analysis: - is the act or process of looking at something closely in order to learn more about it, to find problems, and give details account of the site in terms of physical features. Planners usually make a sketch of the inspected site in order to represent it on paper. And it mostly had been done with the presence of the site owner or representative, for witness and proper referencing.

PROCESSES INVOLVED IN SITE INSPECTION ANALYSIS.

Location of site: the planner locates the site which is to be inspected using topographical map of the area.

Identification: the planner identifies the plot boundary.

Measurement: the length and breadth of the plot is measured using either tape or chain and the measurements are being recorded.

Sketch: - draw the rough sketch of the area.

Calculation: - the dimension of the plot is calculated and recorded.

Drawing: - the planner draws the site inspection plan in the studio.

Report: - write down the report of the site inspection analysis.

Documentation: - the site inspection plan and report is documented in technical file.

Forwarding: - the technical file is forwarded to the Director Town Planning for further analysis.

THINGS TO BE NOTED WHEN REPORTING AFTER SITE INSPECTION

- Report on the specific address of the property
- Report on the boundaries of the property
- Report on the purpose of the property
- Report on the total area of the property

PRACTICAL EXPERIENCE OF SITE INSPECTION AT ILORIN KWARA STATE

I learned about sites inspection of various places within the metropolis and its environs.


Some of the various places/areas we went for site inspections are listed below:-

- I. A site inspection of Surv. Ayuba Abdulsalam property situated at Mandate Ilorin West local government area.
 - a. In-depth inspection was carried out in company of the applicant representative and the student on I.T
 - b. The inspection reveals that the site is situated at Mandate Kwara State
 - c. The site is for residential purpose, covering a total land area of about 390.6m². It was developed as of the time of inspection.
 - d. The site is bounded by a stream to the north, access road to the south and west and by a build-up plot to the east respectively.
 - e. Therefore, the application is in order and within physical planning requirement.

DRAWING SKETCH PLAN OF INSPECTED SITES

In drawing the sketch plan of inspected sites, suitable scale has to be chosen. The chosen scale depends on the type of paper the sketch is to be done, for example larger scale (1:1000) will be suitable for A4 paper type, because the larger the scale the smaller the sketch appears on the paper and the smaller the scale the larger the sketch appears on the paper. Some instruments such as; pencil, eraser, set square, scale rule, black and red pen are used in the process of drawing a sketch plan of inspected sites.

Below are some sketches of inspected sites carried out in the ministry;



NOTE: The red lines on the sketch shows the boundaries of the main area of observation and the hatched areas signifies build-up plots as of the time of the inspection.

3.6 LAYOUT DESIGN

Layout: A structured arrangement of items within certain limits or a map or a drawing of a construction site showing the position of roads, buildings, or other construction.

Layout Design: This can be said as the process of designing a suitable plan containing so many plots for several functions, such as; residential, commercial, educational etc.

FEATURES OF A GOOD LAYOUT

1. Good road network
2. Accessibility to market
3. Accessibility to religious center
4. Provision of health care sector
5. Security offices
6. Availability of job opportunities
7. Adequate electricity
8. Good spacing

9. Accessibility to educational sectors

During my training, I was privileged to take part in the designation of a layout titled GDP 34, which is located along OKE – SOH Along Afon Road, Kwara state, The layout consists of 886 plots, which are divided into different dimensions; 15*30m, 25*45m, 50*50m etc. (3.3ft=1m).

Each plot has its own function (residential, commercial, educational, religious etc.)it was also characterized as a layout containing higher, moderate and lower density areas.

Below are some views of the layout titled GDP 34;

The main purpose of designing this layout is to provide more settlement and also a comfortable place for the people of OKE – SOH and also to promote the development and economic level of the state at large.

3.7 DISPUTE RESOLUTION

Dispute: it can be said as a state of argument, disagreement, or failure to agree between two or more parties.

Dispute resolution: This has to do with finding a solution or bringing an end to a disagreement or argument between two or more parties.

For a dispute to take place, it must have two or more parties disagreeing with each other's decision as stated above. The Ministry of Lands and Survey plays a vital role in solving such kind of issues, which may arise between two parties.

For example, party A and party B had an argument which has to do with plot boundary issues, the ministry takes part in solving such dispute by providing the actual layout of that area so that the accurate dimension of each plot will be provided, and the issue of boundaries will be settled.

3.9 EVALUATING TOWNSHIP ROAD

What is assessment? There is various definition of the word assessment, in education it is simply the ways which a teacher will follow to check, mark, reward, and placed confidence on his or her students knowing the exact capacity, ability, and well-being of the performance of the students, that calls for the student award of certificate at the end of the program attained.

Now concerning the nature and work of lands and survey ministry, assessment can be defined as the process of grating of lands either developed or undeveloped, houses, or any order constructed erection that will be need to know the cost of construction of such valuable property, to enable the government do the necessary, by making adequate consideration in terms of rendering compensation to the property owners concerned. (Whose properties were affected)?

PROCESSES OF MAKING ASSESSMENTS

There are different processes that are involved in making an assessment exercise, and they are listed below:-

- i. Reaching the property owners.
- ii. Making of appropriate survey by the surveyor using its instrument.
- iii. Marking the affected areas i.e. signs of corridors.
- iv. Placement of road construction sings e.g. pegs, number marks, benchmarks, (km, m, cm) etc.

MATERIALS USED IN THE ASSESSMENT EXERCISE.

- i. Measuring tapes (10m, 30m, 50m, 100m, 150m, 200m, 300m,) and etc.
- ii. Pegs wooden arrows,(alignment).
- iii. Markings e.g.BM, Marks, Arrows.
- iv. Record books.
- v. Cameras if necessary.
- vi. Pens (biros, pencils, plain sheets, rulers).etc

CHAPTER FOUR

4.1 LIST OF INSTRUMENTS USED IN THE DEPARTMENT OF LANDS SURVEY, .

- Paper (A0, A3 & A4)
 - Set squares
 - Scale rule
 - Adjustable set square
 - T-square
 - Eraser
 - Drawing board (standing)
 - Rotary pen/ink
 - Clutch pencil
 - Pen (red/black)
 - Measuring tape
-
- **Paper:** this is a thin, flat material used for writing, drawing and painting. It is mostly used for the purpose of making the sketch of the inspected site and writing of report about the site inspected in the ministry.
 - **Set squares:** These are triangular instruments mostly used in technical drawing and engineering. They are used to provide a straightedge at a right angle or other particular planar angle to a baseline.
 - **Scale rule:** this is a three sided ruler with different scales (1:100, 1:200, 1:250 etc.), used to measure linear distance and create proportional linear measurements and also to draw straight lines.
 - **Adjustable set square:** this is also a triangular instrument that provides a straightedge at a right angle, but it's adjustable not like the ordinary set-squares.

- **T-square:** this is a technical drawing instrument used primarily as a guide for drawing horizontal lines on a drafting table, and it is also used to guide set squares to draw vertical or diagonal lines.
- **Eraser:** this is an instrument used for removing writing from paper or for erasing mistakes in the process of making a sketch.
- **Drawing board (standing):** this is a multipurpose desk which can be used for any kind of drawing or writing. The instrument can be adjust to any suitable height.
- **Rotary pen:** this is an instrument inform of a pen mostly used in layout designs having a thick black ink with different openings (0.5, 1.5, 2.0....).
- **Clutch pencil:** this is an instrument with a replaceable and mechanically extendable solid pigment core called a “lead”. It is an instrument used in drawing and writing as well.
- **Pen (red/black):** this instrument is used to trace the original sketch done with a pencil in order to make it more presentable.
- **Measuring Tape:** A flexible ruler that is used to measure distance. It consists of a ribbon of cloth, plastic, fibre glass, or metals strip with linear measurement markings.

CHAPTER FIVE

This chapter contains the summary of my six (4) month I.T experience, the problems I encountered during the process, recommendations and lastly, my conclusion.

1.1 SUMMARY

During my industrial training in the ministry of lands and survey Kwara State, I have acquired a lot of knowledge and skills concerning the activities of the ministry which include: allocation of lands to members of the public, layout design, assessment of township road, settlement of dispute among two parties, site inspection and analysis, drawing of sketch plans of inspected sites, process of obtaining statutory.

In respect to the higher ranking of the establishment, the ministry of lands and survey is headed by the commissioner and assisted by the permanent secretary and surveyor general of the state. While director's takes charge of the various departments of the ministry and staff officer (SO) take charge of the affairs of all administration works in the ministry.

5.2 RECOMMENDATION

I wish the government and the school authority to provide necessary materials for the students during this programme. They should also try to pay the students allowance so as to serve as help for the students in one way or the other.

4.3 CONCLUSION

In conclusion, The Industrial training program was a wonderful experience that provided me with the opportunity to know what it feels like to be in the working environment and how to meet and cope with office works and challenges and how to tackle matters arising from place of work, it also advance my thought about planning and survey profession in general and the type of challenge encounter when I was in such field as officer.